Innovation, Energy and Mines
Petroleum Branch
360-1395 Ellice Ave, Winnipeg MB R3G 3P2
T 204-945-6577 **F** 204-945-0586
www.manitoba.ca

WEEKLY WELL ACTIVITY REPORT

PETROLEUM INDUSTRY ACTIVITY REPORT
(January 1/12 – August 27/12)

DRILLING ACTIVITY	To August 27/12	To August 29/11	2011 Total
Drilling Licences Issued	448	387	672
Licences Cancelled	25	24	55
Vertical Wells Drilled	28	14	42
Horizontal Wells Drilled	366	248	536
Stratigraphic Test Holes Drilled	1	0	0
Wells Drilled - Total	395	262	578
No. of Metres Drilled	737 406	486 310	1 068 753
Wells Re-entered	0	3	7
Wells Being Drilled	4	8	0
No. of Active Rigs	13	13	0
Wells Licenced but Not Spudded	193	230	144
Wells Completed as Potential Oil Wells	380	251	559
Wells Abandoned Dry	9	5	14
Wells Drilled but Not Completed	1	2	0
Other Completions	4	4	7
New Wells on Production	175	129	507

GEOPHYSICAL ACTIVITY

Geophysical Programs Licenced	15	15	19
Licences Cancelled	1	0	0
Kilometers Licenced	3 759	2 443	4 815
Kilometers Run	1 058	841	1 422

OIL PRICES (Average)	2012 $/m3 ($/bbl)	2011 $/m3 ($/bbl)
Month of June	503.90 (80.07)	601.09 (95.52)
Month of July	481.95 (76.59)	579.55 (92.10)

OIL PRODUCTION (M3)	2011	2010
Month of October	208 104.3	171 360.2
Cumulative Thru October 31	1 917 504.0	1 502 852.3

WEEKLY WELL ACTIVITY REPORT

27 August 2012

Lic. No.: 7916

Penn West Waskada HZNTL 2-15-2-26 (WPM)
UWI: 100.02-15-002-26W1.00

Please note revised well name and UWI
(Licenced as 4-15 drilled as 2-15-2-26)

Lic. No.: 8000

EOG Pierson HZNTL 13-6-2-28 (WPM)
UWI: 100.13-06-002-28W1.00

Revision to report of: 24-May-2011
Contractor: Precision Drilling – Rig# 191

Main Hole Commenced: 23-Aug-2012
K.B. Elevation: 465.93 m
Intermediate Casing: 139.70 mm @ 1657.00 m with 46.0 t
Finished Drilling: 25-Aug-2012
Total Depth: 1657.00 m
Rig Released: 26-Aug-2012
Status: Waiting On Service Rig (WOSR)
Waiting On Service Rig: 26-Aug-2012

Lic. No.: 8001

EOG Pierson HZNTL 15-6-2-28 (WPM)
UWI: 100.15-06-002-28W1.00

Status: Moving In Rotary Tools (MIRT)
Moving In Rotary Tools: 27-Aug-2012

Lic. No.: 8023

EOG Pierson HZNTL 16-33-1-28 (WPM)
UWI: 100.16-33-001-28W1.00

Revision to report of: 30-May-2011
Contractor: Precision Drilling – Rig# 191

Intermediate Casing: 139.70 mm @ 1754.00 m with 45.6 t
Finished Drilling: 21-Aug-2012
Total Depth: 1754.00 m
Rig Released: 22-Aug-2012
Status: Waiting On Service Rig (WOSR)
Waiting On Service Rig: 22-Aug-2012

Lic. No.: 8443

EOG Waskada HZNTL B6-26-1-25 (WPM)
UWI: 103.06-26-001-25W1.00

Revision to report of: 12-Dec-2011
Contractor: Precision Drilling – Rig# 156

Main Hole Commenced: 12-Dec-2011
K.B. Elevation: 476.64 m
Intermediate Casing: 139.70 mm @ 1697.00 m with 45.0 t
Finished Drilling: 23-Aug-2012
Total Depth: 1697.00 m
Rig Released: 24-Aug-2012

Status: Waiting On Service Rig (WOSR)
Waiting On Service Rig: 24-Aug-2012

Lic. No.: 8517

EOG Waskada HZNTL B3-26-1-25 (WPM)
UWI: 103.03-26-001-25W1.00

Revision to report of: 16-Jan-2012
Contractor: Precision Drilling – Rig# 156

Spud Date: 24-Aug-2012
K.B. Elevation: 475.34 m
Surface Casing: 219.10 mm @ 153.00 m with 11.0 t
Status: Drilling Ahead (DR)
Drilling Ahead: 27-Aug-2012

Lic. No.: 8595

Waskada Unit No. 7 HZNTL B12-20-1-25 (WPM)
UWI: 104.12-20-001-25W1.00

Please note revised well name and UWI
(Licenced as B13-20 UWI 104 drilled as B12-20-1-25 UWI 104)

Lic. No.: 8661

EOG Waskada HZNTL 11-5-1-24 (WPM)
UWI: 102.11-05-001-24W1.00

Status: Moving In Rotary Tools (MIRT)
Moving In Rotary Tools: 27-Aug-2012

Lic. No.: 8662

EOG Waskada HZNTL A14-5-1-24 (WPM)
UWI: 103.14-05-001-24W1.00

Spud Date: 21-Aug-2012
K.B. Elevation: 484.87 m
Surface Casing: 219.10 mm @ 152.00 m with 11.0 t
Intermediate Casing: 139.70 mm @ 1648.00 m with 40.0 t
Finished Drilling: 23-Aug-2012
Total Depth: 1648.00 m
Rig Released: 25-Aug-2012
Status: Waiting On Service Rig (WOSR)
Waiting On Service Rig: 25-Aug-2012

Lic. No.: 8679

Waskada Unit No. 7 HZNTL A11-17-1-25 (WPM)
UWI: 103.11-17-001-25W1.00

Intermediate Casing: 139.70 mm @ 2140.00 m with 63.3 t
Finished Drilling: 20-Aug-2012
Total Depth: 2140.00 m
Rig Released: 22-Aug-2012
Status: Waiting On Service Rig (WOSR)
Waiting On Service Rig: 22-Aug-2012

Lic. No.: 8712
Tundra East Manson Prov. HZNTL 15-4-13-28 (WPM)
UWI: 100.15-04-013-28W1.00

Status: Moving In Rotary Tools (MIRT)
Moving In Rotary Tools: 27-Aug-2012

Lic. No.: 8768
South Pierson Unit No. 2 HZNTL 13-19-2-29 (WPM)
UWI: 102.13-19-002-29W1.00

Revision to report of: 25-Jun-2012
Contractor: Champion Drilling – Rig# 351

Spud Date: 21-Aug-2012
K.B. Elevation: 483.46 m
Surface Casing: 244.50 mm @ 166.00 m with 22.0 t
Intermediate Casing: 139.70 mm @ 1805.00 m with 48.0 t
Finished Drilling: 25-Aug-2012
Total Depth: 1805.00 m
Rig Released: 26-Aug-2012
Status: Waiting On Service Rig (WOSR)
Waiting On Service Rig: 26-Aug-2012

Lic. No.: 8769
South Pierson Unit No. 2 HZNTL A13-19-2-29 (WPM)
UWI: 103.13-19-002-29W1.00

Status: Moving In Rotary Tools (MIRT)
Moving In Rotary Tools: 27-Aug-2012

Lic. No.: 8780
Tundra Virden Prov. HZNTL 8-29-10-26 (WPM)
UWI: 100.08-29-010-26W1.00

Intermediate Casing: 139.70 mm @ 1804.50 m with 43.3 t
Finished Drilling: 22-Aug-2012
Total Depth: 1805.00 m
Rig Released: 23-Aug-2012
Status: Waiting On Service Rig (WOSR)
Waiting On Service Rig: 23-Aug-2012

Lic. No.: 8794
Red Beds Pierson HZNTL A3-19-2-28 (WPM)
UWI: 102.03-19-002-28W1.00

Intermediate Casing: 139.70 mm @ 2088.00 m with 28.3 t
Finished Drilling: 22-Aug-2012
Total Depth: 2088.00 m
Rig Released: 23-Aug-2012
Status: Waiting On Service Rig (WOSR)
Waiting On Service Rig: 23-Aug-2012

Lic. No.: 8796
Red Beds Pierson HZNTL A6-19-2-28 (WPM)
UWI: 102.06-19-002-28W1.00

Status: Drilling Ahead (DR)
Drilling Ahead: 27-Aug-2012

Lic. No.: 8801
Sinclair Unit No. 8 HZNTL 12-32-7-29 (WPM)
UWI: 102.12-32-007-29W1.00

Intermediate Casing: 139.70 mm @ 1172.50 m with 14.9 t
Finished Drilling: 25-Aug-2012
Total Depth: 2562.00 m
Rig Released: 27-Aug-2012
Status: Waiting On Service Rig (WOSR)
Waiting On Service Rig: 27-Aug-2012

Lic. No.: 8802
Sinclair Unit No. 8 HZNTL 16-33-7-29 (WPM)
UWI: 102.16-33-007-29W1.00

Status: Moving In Rotary Tools (MIRT)
Moving In Rotary Tools: 27-Aug-2012

Lic. No.: 8803
Tundra East Manson HZNTL 4-2-13-28 (WPM)
UWI: 100.13-02-013-28W1.00 – Stratigraphic Testhole

Finished Drilling: 21-Aug-2012
Total Depth: 713.00 m
Status: Abandoned Stratigraphic Testhole (ABD STH)
Abandoned Stratigraphic Testhole: 22-Aug-2012

UWI: 100.04-02-013-28W1.00 – Horizontal Section

Kick-Off Date: 22-Aug-2012
Kick-Off Point: 491 m
Intermediate Casing: 177.80 mm @ 784.50 m with 10.3 t
Finished Drilling: 26-Aug-2012
Total Depth: 2010.00 m
Status: Waiting On Service Rig (WOSR)
Waiting On Service Rig: 27-Aug-2012

Lic. No.: 8807
Tundra Daly Sinclair HZNTL A9-18-10-28 (WPM)
UWI: 102.09-18-010-28W1.00

Intermediate Casing: 139.70 mm @ 845.0 m with 6.4 t
Finished Drilling: 23-Aug-2012
Total Depth: 2103.00 m
Rig Released: 24-Aug-2012
Status: Waiting On Service Rig (WOSR)
Waiting On Service Rig: 24-Aug-2012

Lic. No.: 8824
CPEC Elkhorn HZNTL 4-18-11-28 (WPM)
UWI: 100.04-18-011-28W1.00

Intermediate Casing: 139.70 mm @ 2305.0 m with 50.5 t
Finished Drilling: 24-Aug-2012
Total Depth: 2305.00 m
Rig Released: 25-Aug-2012
Status: Waiting On Service Rig (WOSR)
Waiting On Service Rig: 25-Aug-2012

Lic. No.: 8844
Interwest Daly Sinclair Prov. 10-32-9-29 (WPM)
UWI: 100.10-32-009-29W1.00

Finished Drilling: 20-Aug-2012
Total Depth: 936.00 m
Production Casing: 114.30 mm @ 936.0 m with 23.0 t
Rig Released: 21-Aug-2012
Status: Waiting On Service Rig (WOSR)
Waiting On Service Rig: 21-Aug-2012

Lic. No.: 8845
Melita Pierson HZNTL 4-26-1-28 (WPM)
UWI: 100.04-26-001-28W1.00

Intermediate Casing: 139.70 mm @ 1794.0 m with 37.0 t
Finished Drilling: 20-Aug-2012
Total Depth: 1794.00 m
Rig Released: 22-Aug-2012
Status: Waiting On Service Rig (WOSR)
Waiting On Service Rig: 22-Aug-2012

Lic. No.: 8854
Tundra Virden HZNTL A3-20-11-26 (WPM)
UWI: 103.03-20-011-26W1.00

Spud Date: 24-Aug-2012
K.B. Elevation: 466.05 m
Surface Casing: 244.50 mm @ 189.50 m with 21.0 t
Status: Drilling Ahead (DR)
Drilling Ahead: 27-Aug-2012

Lic. No.: 8877
CPEC South Kirkella HZNTL 1-14-11-29 (WPM)
UWI: 100.01-14-011-29W1.00

Status: Moving In Rotary Tools (MIRT)
Moving In Rotary Tools: 27-Aug-2012

Lic. No.: 8891
Interwest Daly Sinclair Prov. 1-32-9-29 (WPM)
UWI: 100.01-32-009-29W1.00

Spud Date: 21-Aug-2012
K.B. Elevation: 542.43 m
Surface Casing: 219.10 mm @ 135.00 m with 10.0 t
Finished Drilling: 23-Aug-2012
Total Depth: 937.00 m
Production Casing: 114.30 mm @ 937.0 m with 23.0 t
Rig Released: 24-Aug-2012
Status: Waiting On Service Rig (WOSR)
Waiting On Service Rig: 24-Aug-2012

Lic. No.: 8892
Legacy Pierson Prov. HZNTL 2-24-1-28 (WPM)
UWI: 100.02-24-001-28W1.00

Status: Moving In Rotary Tools (MIRT)
Moving In Rotary Tools: 27-Aug-2012

Lic. No.: 8893

Legacy Pierson HZNTL 3-24-1-28 (WPM)
UWI: 102.03-24-001-28W1.00

Intermediate Casing: 139.7 mm @ 2337.0 m with 53.0 t
Finished Drilling: 23-Aug-2012
Total Depth: 2337.00 m
Rig Released: 24-Aug-2012
Status: Waiting On Service Rig (WOSR)
Waiting On Service Rig: 24-Aug-2012

Lic. No.: 8905

Tundra Daly Sinclair HZNTL 1-26-9-28 (WPM)
UWI: 100.01-26-009-28W1.00

Spud Date: 22-Aug-2012
K.B. Elevation: 495.83 m
Surface Casing: 244.50 mm @ 137.00 m with 14.0 t
Finished Drilling: 27-Aug-2012
Total Depth: 2208.00 m
Status: Waiting On Orders (WOO)
Waiting On Orders: 27-Aug-2012

Lic. No.: 8907

Tundra Daly Sinclair HZNTL 13-15-9-28 (WPM)
UWI: 100.13-15-009-28W1.00

Intermediate Casing: 139.7 mm @ 940.00 m with 20.0 t
Finished Drilling: 21-Aug-2012
Total Depth: 2366.00 m
Rig Released: 22-Aug-2012
Status: Waiting On Service Rig (WOSR)
Waiting On Service Rig: 22-Aug-2012

Lic. No.: 8909

Fort Calgary East Manson Prov. HZNTL A7-29-13-28 (WPM)
UWI: 102.07-29-013-28W1.00

Intermediate Casing: 177.8 mm @ 851.00 m with 18.0 t
Finished Drilling: 25-Aug-2012
Total Depth: 1456.00 m
Rig Released: 26-Aug-2012
Status: Waiting On Service Rig (WOSR)
Waiting On Service Rig: 26-Aug-2012

Lic. No.: 8911

Tundra Daly Sinclair Prov. HZNTL 8-10-10-29 (WPM)
UWI: 102.08-10-010-29W1.00

Spud Date: 25-Aug-2012
K.B. Elevation: 537.76 m
Surface Casing: 244.50 mm @ 141.00 m with 14.0 t
Status: Drilling Ahead (DR)
Drilling Ahead: 27-Aug-2012

Lic. No.: 8916

EOG Pierson HZNTL 11-35-2-28 (WPM)
UWI: 100.11-35-002-28W1.00

Licence Issued: 22-Aug-2012
Licensee: EOG RESOURCES CANADA INC.
Mineral Rights: EOG RESOURCES CANADA INC.
Contractor: Precision Drilling (1987) Ltd. - Rig# 195
Surface Location: 09D-34-02-28
Co-ords: 612.57m (S) of (N) boundary of Sec. 34
74.92m (W) of (E) boundary of Sec. 34
Grd Elev: 458.94 m
Proj. TD: 1660 m (Triassic)
Field: Pierson
Classification: EXPLORATORY (OUTPOST)
Status: Location(LOC)

Lic. No.: 8917

EOG Pierson HZNTL 12-35-1-28 (WPM)
UWI: 100.12-35-001-28W1.00

Licence Issued: 22-Aug-2012
Licensee: EOG RESOURCES CANADA INC.
Mineral Rights: EOG RESOURCES CANADA INC.
Contractor: Precision Drilling (1987) Ltd. - Rig# 195
Surface Location: 10C-35-01-28
Co-ords: 582.07m (S) of (N) boundary of Sec. 35
667.04m (W) of (E) boundary of Sec. 35
Grd Elev: 455.31 m
Proj. TD: 1660 m (Triassic)
Field: Pierson
Classification: DEVELOPMENT (NON CONFIDENTIAL)
Status: Location(LOC)

Lic. No.: 8918

Fort Calgary East Manson Prov. HZNTL A5-29-13-28 (WPM)
UWI: 102.05-29-013-28W1.00

Licence Issued: 22-Aug-2012
Licensee: Fort Calgary Resources Ltd.
Mineral Rights: Fort Calgary Resources Ltd.
Contractor: Terroco Drilling Ltd. - Rig# 9
Surface Location: 09B-29-13-28
Co-ords: 625.59m (S) of (N) boundary of Sec. 29
384.23m (W) of (E) boundary of Sec. 29
Grd Elev: 487.54 m
Proj. TD: 1832.85 m (Devonian)
Field: Manson
Classification: DEVELOPMENT (NON CONFIDENTIAL)
Status: Moving In Rotary Tools (MIRT)
Moving In Rotary Tools: 27-Aug-2012

Lic. No.: 8919

Fort Calgary Manson HZNTL A8-21-13-28 (WPM)
UWI: 102.08-21-013-28W1.00

Licence Issued: 22-Aug-2012
Licensee: Fort Calgary Resources Ltd.
Mineral Rights: Fort Calgary Resources Ltd.
Contractor: Terroco Drilling Ltd. - Rig# 9
Surface Location: 08D-20-13-28
Co-ords: 695.65m (N) of (S) boundary of Sec. 20
50.00m (W) of (E) boundary of Sec. 20
Grd Elev: 492.06 m
Proj. TD: 2167.55 m (Devonian)
Field: Manson
Classification: DEVELOPMENT (NON CONFIDENTIAL)
Status: Location(LOC)

Lic. No.: 8920

CPEC Elkhorn HZNTL 2-9-11-28 (WPM)
UWI: 100.02-09-011-28W1.00

Licence Issued: 22-Aug-2012
Licensee: Crescent Point Energy
Mineral Rights: Crescent Point Energy
Contractor: CanElson Drilling Inc. - Rig# 26
Surface Location: 02A-16-11-28
Co-ords: 50.00m (N) of (S) boundary of Sec. 16
600.00m (W) of (E) boundary of Sec. 16
Grd Elev: 509.20 m
Proj. TD: 2334 m (Mississippian)
Area: Elkhorn
Classification: EXPLORATORY (OUTPOST)
Status: Location(LOC)

Lic. No.: 8921

T. Bird et al South Kirkella HZNTL 1-16-11-29 (WPM)
UWI: 102.01-16-011-29W1.00

Licence Issued: 22-Aug-2012
Licensee: T. Bird Oil Ltd.
Mineral Rights: T. Bird Oil Ltd.
Contractor: To Be Determined - Rig# 0
Surface Location: 01B-21-11-29
Co-ords: 60.00m (N) of (S) boundary of Sec. 21
325.00m (W) of (E) boundary of Sec. 21
Grd Elev: 530.75 m
Proj. TD: 2358.59 m (Devonian)
Area: South Kirkella
Classification: DEVELOPMENT (NON CONFIDENTIAL)
Status: Location(LOC)

Lic. No.: 8922

CNRL Pierson Prov. HZNTL 3-11-2-29 (WPM)
UWI: 102.03-11-002-29W1.00

Licence Issued: 24-Aug-2012
Licensee: Canadian Natural Resources
Mineral Rights: Canadian Natural Resources
Contractor: To Be Determined - Rig# 0
Surface Location: 01D-10-02-29
Co-ords: 276.00m (N) of (S) boundary of Sec. 10
175.00m (W) of (E) boundary of Sec. 10
Grd Elev: 467.30 m
Proj. TD: 1811 m (Triassic)
Field: Pierson
Classification: DEVELOPMENT (NON CONFIDENTIAL)
Status: Location(LOC)

Lic. No.: 8923

ARC Waskada HZNTL 14-14-1-24 (WPM)
UWI: 100.02-14-001-24W1.00 – Stratigraphic Testhole
UWI: 102.14-14-001-24W1.02 – Horizontal Section

Licence Issued: 24-Aug-2012
Licensee: ARC Resources Ltd.
Mineral Rights: ARC Resources Ltd.
Contractor: Precision Drilling Ltd. - Rig# 157
Surface Location: 02C-14-01-24
Co-ords: 350.00m (N) of (S) boundary of Sec. 14
773.81m (W) of (E) boundary of Sec. 14
Grd Elev: 523.67 m
Proj. TD: 1990 m (Triassic)
Field: Waskada
Classification: DEVELOPMENT (NON CONFIDENTIAL)
Status: Location(LOC)

Lic. No.: 8924

EOG Pierson Prov. HZNTL 3-29-2-29 (WPM)
UWI: 100.03-29-002-29W1.00

Licence Issued: 27-Aug-2012
Licensee: EOG RESOURCES CANADA INC.
Mineral Rights: EOG RESOURCES CANADA INC.
Contractor: Precision Drilling (1987) Ltd. - Rig# 195
Surface Location: 01D-30-02-29
Co-ords: 224.68m (N) of (S) boundary of Sec. 30
85.02m (W) of (E) boundary of Sec. 30
Grd Elev: 478.18 m
Proj. TD: 1660 m (Triassic)
Field: Pierson
Classification: DEVELOPMENT (NON CONFIDENTIAL)
Status: Location(LOC)

Lic. No.: 8925

EOG Pierson HZNTL 10-9-2-28 (WPM)
UWI: 100.10-09-002-28W1.00

Licence Issued: 27-Aug-2012
Licensee: EOG RESOURCES CANADA INC.
Mineral Rights: EOG RESOURCES CANADA INC.
Contractor: Precision Drilling (1987) Ltd. - Rig# 195
Surface Location: 12C-10-02-28
Co-ords: 415.80m (S) of (N) boundary of Sec. 10
94.91m (E) of (W) boundary of Sec. 10
Grd Elev: 458.53 m
Proj. TD: 1660 m (Triassic)
Field: Pierson
Classification: DEVELOPMENT (NON CONFIDENTIAL)
Status: Location(LOC)

Lic. No.: 8926

ARC Waskada Prov. HZNTL A1-4-1-24 (WPM)
UWI: 103.01-04-001-24W1.00

Licence Issued: 27-Aug-2012
Licensee: ARC Resources Ltd.
Mineral Rights: ARC Resources Ltd.
Contractor: Precision Drilling Ltd. - Rig# 157
Surface Location: 03A-04-01-24
Co-ords: 161.00m (N) of (S) boundary of Sec. 4
643.35m (E) of (W) boundary of Sec. 4
Grd Elev: 497.66 m
Proj. TD: 1673 m (Triassic)
Field: Waskada
Classification: DEVELOPMENT (NON CONFIDENTIAL)
Status: Location(LOC)

Lic. No.: 8927

ARC Waskada HZNTL B4-4-1-24 (WPM)
UWI: 104.04-04-001-24W1.00

Licence Issued: 27-Aug-2012
Licensee: ARC Resources Ltd.
Mineral Rights: ARC Resources Ltd.
Contractor: Precision Drilling Ltd. - Rig# 157
Surface Location: 02B-04-01-24
Co-ords: 180.90m (N) of (S) boundary of Sec. 4
563.22m (W) of (E) boundary of Sec. 4
Grd Elev: 504.25 m
Proj. TD: 1742 m (Triassic)
Field: Waskada
Classification: DEVELOPMENT (NON CONFIDENTIAL)
Status: Location(LOC)

Lic. No.: 8928 Fort Calgary South McAuley 3-12-14-29 (WPM)
UWI: 100.03-12-014-29W1.00

Licence Issued: 27-Aug-2012
Licensee: Fort Calgary Resources Ltd.
Mineral Rights: Fort Calgary Resources Ltd.
Contractor: Terroco Drilling Ltd. - Rig# 9
Surface Location: 03A-12-14-29
Co-ords: 115.00m (N) of (S) boundary of Sec. 12
689.82m (E) of (W) boundary of Sec. 12
Grd Elev: 491.89 m
Proj. TD: 686.1 m (Devonian)
Area: South McAuley
Classification: EXPLORATORY (OUTPOST)
Status: Location(LOC)

WELL NAME CHANGES

Lic. No. 7916 From: Penn West Waskada HZNTL 4-15-2-26 (WPM)
To: Penn West Waskada HZNTL 2-15-2-26 (WPM)

Lic. No. 8595 From: Penn West Waskada HZNTL B13-20-1-25 (WPM)
To: Penn West Waskada HZNTL B12-20-1-25 (WPM)